

Brennwertveröffentlichung gemäß § 40 Gas NZV des Netzbetreibers

Stadtwerke Hof Energie+Wasser GmbH

		<u>Hof</u>	<u>Köditz</u>	<u>Brunnenthal</u>
September	2011	11,412 kWh/m ³	11,412 kWh/m ³	11,412 kWh/m ³
Oktober	2011	11,339 kWh/m ³	11,339 kWh/m ³	11,339 kWh/m ³
November	2011	11,192 kWh/m ³	11,192 kWh/m ³	11,192 kWh/m ³
Dezember	2011	11,171 kWh/m ³	11,171 kWh/m ³	11,171 kWh/m ³
Januar	2012	11,167 kWh/m ³	11,167 kWh/m ³	11,167 kWh/m ³
Februar	2012	11,205 kWh/m ³	11,205 kWh/m ³	11,205 kWh/m ³
März	2012	11,298 kWh/m ³	11,298 kWh/m ³	11,298 kWh/m ³
April	2012	11,189 kWh/m ³	11,189 kWh/m ³	11,189 kWh/m ³
Mai	2012	11,217 kWh/m ³	11,217 kWh/m ³	11,217 kWh/m ³
Juni	2012	11,298 kWh/m ³	11,298 kWh/m ³	11,298 kWh/m ³
Juli	2012	11,257 kWh/m ³	11,257 kWh/m ³	11,257 kWh/m ³
August	2012	11,237 kWh/m ³	11,237 kWh/m ³	11,237 kWh/m ³
September	2012	11,148 kWh/m ³	11,148 kWh/m ³	11,148 kWh/m ³
Oktober	2012	11,179 kWh/m ³	11,179 kWh/m ³	11,179 kWh/m ³
November	2012	11,162 kWh/m ³	11,162 kWh/m ³	11,162 kWh/m ³
Dezember	2012	11,194 kWh/m ³	11,194 kWh/m ³	11,194 kWh/m ³
Januar	2013	11,199 kWh/m ³	11,199 kWh/m ³	11,199 kWh/m ³
Februar	2013	11,205 kWh/m ³	11,205 kWh/m ³	11,205 kWh/m ³
März	2013	11,204 kWh/m ³	11,204 kWh/m ³	11,204 kWh/m ³



		<u>Hof</u>	<u>Köditz</u>	<u>Brunnenthal</u>
April	2013	11,165 kWh/m ³	11,165 kWh/m ³	11,165 kWh/m ³
Mai	2013	11,193 kWh/m ³	11,193 kWh/m ³	11,193 kWh/m ³
Juni	2013	11,211 kWh/m ³	11,211 kWh/m ³	11,211 kWh/m ³
Juli	2013	11,217 kWh/m ³	11,217 kWh/m ³	11,217 kWh/m ³
August	2013	11,239 kWh/m ³	11,239 kWh/m ³	11,239 kWh/m ³
September	2013	11,216 kWh/m ³	11,216 kWh/m ³	11,216 kWh/m ³
Oktober	2013	11,213 kWh/m ³	11,213 kWh/m ³	11,213 kWh/m ³
November	2013	11,217 kWh/m ³	11,217 kWh/m ³	11,217 kWh/m ³
Dezember	2013	11,198 kWh/m ³	11,198 kWh/m ³	11,198 kWh/m ³
Januar	2014	11,206 kWh/m ³	11,206 kWh/m ³	11,206 kWh/m ³
Februar	2014	11,206 kWh/m ³	11,206 kWh/m ³	11,206 kWh/m ³
März	2014	11,250 kWh/m ³	11,250 kWh/m ³	11,250 kWh/m ³
April	2014	11,352 kWh/m ³	11,352 kWh/m ³	11,352 kWh/m ³
Mai	2014	11,443 kWh/m ³	11,443 kWh/m ³	11,443 kWh/m ³
Juni	2014	11,325 kWh/m ³	11,325 kWh/m ³	11,325 kWh/m ³
Juli	2014	11,360 kWh/m ³	11,360 kWh/m ³	11,360 kWh/m ³
August	2014	11,327 kWh/m ³	11,327 kWh/m ³	11,327 kWh/m ³
September	2014	11,287 kWh/m ³	11,287 kWh/m ³	11,287 kWh/m ³
Oktober	2014	11,350 kWh/m ³	11,350 kWh/m ³	11,350 kWh/m ³
November	2014	11,326 kWh/m ³	11,326 kWh/m ³	11,326 kWh/m ³
Dezember	2014	11,274 kWh/m ³	11,274 kWh/m ³	11,274 kWh/m ³
Januar	2015	11,269 kWh/m ³	11,269 kWh/m ³	11,269 kWh/m ³
Februar	2015	11,353 kWh/m ³	11,353 kWh/m ³	11,353 kWh/m ³
März	2015	11,325 kWh/m ³	11,325 kWh/m ³	11,325 kWh/m ³
April	2015	11,326 kWh/m ³	11,326 kWh/m ³	11,326 kWh/m ³
Mai	2015	11,322 kWh/m ³	11,322 kWh/m ³	11,322 kWh/m ³
Juni	2015	11,296 kWh/m ³	11,296 kWh/m ³	11,296 kWh/m ³

		<u>Hof</u>	<u>Köditz</u>	<u>Brunnenthal</u>
Juli	2015	11,280 kWh/m ³	11,280 kWh/m ³	11,280 kWh/m ³
August	2015	11,317 kWh/m ³	11,317 kWh/m ³	11,317 kWh/m ³
September	2015	11,384 kWh/m ³	11,384 kWh/m ³	11,384 kWh/m ³
Oktober	2015	11,327 kWh/m ³	11,327 kWh/m ³	11,327 kWh/m ³
November	2015	11,378 kWh/m ³	11,378 kWh/m ³	11,378 kWh/m ³
Dezember	2015	11,378 kWh/m ³	11,378 kWh/m ³	11,378 kWh/m ³
Januar	2016	11,329 kWh/m ³	11,329 kWh/m ³	11,329 kWh/m ³
Februar	2016	11,346 kWh/m ³	11,346 kWh/m ³	11,346 kWh/m ³
März	2016	11,328 kWh/m ³	11,328 kWh/m ³	11,328 kWh/m ³
April	2016	11,393 kWh/m ³	11,393 kWh/m ³	11,393 kWh/m ³
Mai	2016	11,353 kWh/m ³	11,353 kWh/m ³	11,353 kWh/m ³
Juni	2016	11,359 kWh/m ³	11,359 kWh/m ³	11,359 kWh/m ³
Juli	2016	11,345 kWh/m ³	11,345 kWh/m ³	11,345 kWh/m ³
August	2016	11,399 kWh/m ³	11,399 kWh/m ³	11,399 kWh/m ³
September	2016	11,452 kWh/m ³	11,452 kWh/m ³	11,452 kWh/m ³
Oktober	2016	11,266 kWh/m ³	11,266 kWh/m ³	11,266 kWh/m ³
November	2016	11,262 kWh/m ³	11,262 kWh/m ³	11,262 kWh/m ³
Dezember	2016	11,269 kWh/m ³	11,269 kWh/m ³	11,269 kWh/m ³
Januar	2017	11,255 kWh/m ³	11,255 kWh/m ³	11,255 kWh/m ³
Februar	2017	11,247 kWh/m ³	11,247 kWh/m ³	11,247 kWh/m ³
März	2017	11,259 kWh/m ³	11,259 kWh/m ³	11,259 kWh/m ³
April	2017	11,349 kWh/m ³	11,349 kWh/m ³	11,349 kWh/m ³
Mai	2017	11,411 kWh/m ³	11,411 kWh/m ³	11,411 kWh/m ³
Juni	2017	11,348 kWh/m ³	11,348 kWh/m ³	11,348 kWh/m ³
Juli	2017	11,311 kWh/m ³	11,311 kWh/m ³	11,311 kWh/m ³
August	2017	11,290 kWh/m ³	11,290 kWh/m ³	11,290 kWh/m ³
September	2017	11,297 kWh/m ³	11,297 kWh/m ³	11,297 kWh/m ³

		<u>Hof</u>	<u>Köditz</u>	<u>Brunnenthal</u>
Oktober	2017	11,262 kWh/m ³	11,262 kWh/m ³	11,262 kWh/m ³
November	2017	11,249 kWh/m ³	11,249 kWh/m ³	11,249 kWh/m ³
Dezember	2017	11,249 kWh/m ³	11,249 kWh/m ³	11,249 kWh/m ³
Januar	2018	11,251 kWh/m ³	11,251 kWh/m ³	11,251 kWh/m ³
Februar	2018	11,252 kWh/m ³	11,252 kWh/m ³	11,252 kWh/m ³
März	2018	11,249 kWh/m ³	11,249 kWh/m ³	11,249 kWh/m ³
April	2018	11,246 kWh/m ³	11,246 kWh/m ³	11,246 kWh/m ³
Mai	2018	11,292 kWh/m ³	11,294 kWh/m ³	11,293 kWh/m ³
Juni	2018	11,269 kWh/m ³	11,267 kWh/m ³	11,269 kWh/m ³
Juli	2018	11,303 kWh/m ³	11,304 kWh/m ³	11,304 kWh/m ³
August	2018	11,368 kWh/m ³	11,365 kWh/m ³	11,357 kWh/m ³
September	2018	11,299 kWh/m ³	11,296 kWh/m ³	11,301 kWh/m ³
Oktober	2018	11,262 kWh/m ³	11,262 kWh/m ³	11,262 kWh/m ³
November	2018	11,257 kWh/m ³	11,256 kWh/m ³	11,256 kWh/m ³
Dezember	2018	11,268 kWh/m ³	11,268 kWh/m ³	11,268 kWh/m ³
Januar	2019	11,281 kWh/m ³	11,281 kWh/m ³	11,281 kWh/m ³
Februar	2019	11,259 kWh/m ³	11,259 kWh/m ³	11,259 kWh/m ³
März	2019	11,268 kWh/m ³	11,267 kWh/m ³	11,269 kWh/m ³
April	2019	11,383 kWh/m ³	11,383 kWh/m ³	11,378 kWh/m ³
Mai	2019	11,349 kWh/m ³	11,350 kWh/m ³	11,344 kWh/m ³
Juni	2019	11,275 kWh/m ³	11,277 kWh/m ³	11,275 kWh/m ³
Juli	2019	11,294 kWh/m ³	11,294 kWh/m ³	11,298 kWh/m ³
August	2019	11,350 kWh/m ³	11,351 kWh/m ³	11,356 kWh/m ³
September	2019	11,305 kWh/m ³	11,306 kWh/m ³	11,305 kWh/m ³
Oktober	2019	11,309 kWh/m ³	11,309 kWh/m ³	11,318 kWh/m ³
November	2019	11,316 kWh/m ³	11,316 kWh/m ³	11,314 kWh/m ³
Dezember	2019	11,311 kWh/m ³	11,311 kWh/m ³	11,309 kWh/m ³

		<u>Hof</u>	<u>Köditz</u>	<u>Brunnenthal</u>
Januar	2020	11,306 kWh/m ³	11,307 kWh/m ³	11,303 kWh/m ³
Februar	2020	11,305 kWh/m ³	11,305 kWh/m ³	11,307 kWh/m ³
März	2020	11,294 kWh/m ³	11,293 kWh/m ³	11,288 kWh/m ³
April	2020	11,392 kWh/m ³	11,391 kWh/m ³	11,391 kWh/m ³
Mai	2020	11,384 kWh/m ³	11,386 kWh/m ³	11,382 kWh/m ³
Juni	2020	11,332 kWh/m ³	11,337 kWh/m ³	11,332 kWh/m ³
Juli	2020	11,349 kWh/m ³	11,348 kWh/m ³	11,352 kWh/m ³
August	2020	11,305 kWh/m ³	11,306 kWh/m ³	11,307 kWh/m ³
September	2020	11,274 kWh/m ³	11,274 kWh/m ³	11,273 kWh/m ³
Oktober	2020	11,282 kWh/m ³	11,283 kWh/m ³	11,283 kWh/m ³
November	2020	11,265 kWh/m ³	11,265 kWh/m ³	11,266 kWh/m ³
Dezember	2020	11,279 kWh/m ³	11,280 kWh/m ³	11,274 kWh/m ³
Januar	2021	11,282 kWh/m ³	11,281 kWh/m ³	11,277 kWh/m ³
Februar	2021	11,258 kWh/m ³	11,258 kWh/m ³	11,258 kWh/m ³
März	2021	11,261 kWh/m ³	11,261 kWh/m ³	11,261 kWh/m ³
April	2021	11,265 kWh/m ³	11,265 kWh/m ³	11,265 kWh/m ³
Mai	2021	11,269 kWh/m ³	11,269 kWh/m ³	11,271 kWh/m ³
Juni	2021	11,367 kWh/m ³	11,360 kWh/m ³	11,374 kWh/m ³
Juli	2021	11,300 kWh/m ³	11,294 kWh/m ³	11,302 kWh/m ³
August	2021	11,265 kWh/m ³	11,266 kWh/m ³	11,266 kWh/m ³
September	2021	11,277 kWh/m ³	11,275 kWh/m ³	11,279 kWh/m ³
Oktober	2021	11,288 kWh/m ³	11,297 kWh/m ³	11,293 kWh/m ³
November	2021	11,267 kWh/m ³	11,267 kWh/m ³	11,267 kWh/m ³
Dezember	2021	11,276 kWh/m ³	11,278 kWh/m ³	11,261 kWh/m ³
Januar	2022	11,432 kWh/m ³	11,434 kWh/m ³	11,426 kWh/m ³
Februar	2022	11,420 kWh/m ³	11,422 kWh/m ³	11,415 kWh/m ³

		<u>Hof</u>	<u>Köditz</u>	<u>Brunnenthal</u>
März	2022	11,281 kWh/m ³	11,281 kWh/m ³	11,283 kWh/m ³
April	2022	11,589 kWh/m ³	11,588 kWh/m ³	11,595 kWh/m ³
Mai	2022	11,588 kWh/m ³	11,585 kWh/m ³	11,596 kWh/m ³
Juni	2022	11,508 kWh/m ³	11,505 kWh/m ³	11,510 kWh/m ³
Juli	2022	11,584 kWh/m ³	11,583 kWh/m ³	11,581 kWh/m ³
August	2022	11,538 kWh/m ³	11,540 kWh/m ³	11,542 kWh/m ³
September	2022	11,556 kWh/m ³	11,556 kWh/m ³	11,563 kWh/m ³
Oktober	2022	11,501 kWh/m ³	11,501 kWh/m ³	11,491 kWh/m ³
November	2022	11,503 kWh/m ³	11,504 kWh/m ³	11,489 kWh/m ³
Dezember	2022	11,525 kWh/m ³	11,524 kWh/m ³	11,529 kWh/m ³
Januar	2023	11,519 kWh/m ³	11,518 kWh/m ³	11,501 kWh/m ³
Februar	2023	11,511 kWh/m ³	11,512 kWh/m ³	11,510 kWh/m ³
März	2023	11,483 kWh/m ³	11,483 kWh/m ³	11,489 kWh/m ³
April	2023	11,579 kWh/m ³	11,579 kWh/m ³	11,583 kWh/m ³
Mai	2023	11,585 kWh/m ³	11,584 kWh/m ³	11,586 kWh/m ³
Juni	2023	11,628 kWh/m ³	11,633 kWh/m ³	11,628 kWh/m ³
Juli	2023	11,576 kWh/m ³	11,577 kWh/m ³	11,579 kWh/m ³
August	2023	11,586 kWh/m ³	11,589 kWh/m ³	11,547 kWh/m ³
September	2023	11,616 kWh/m ³	11,617 kWh/m ³	11,612 kWh/m ³
Oktober	2023	11,583 kWh/m ³	11,582 kWh/m ³	11,581 kWh/m ³
November	2023	11,530 kWh/m ³	11,529 kWh/m ³	11,533 kWh/m ³
Dezember	2023	11,509 kWh/m ³	11,510 kWh/m ³	11,510 kWh/m ³
Januar	2024	11,539 kWh/m ³	11,539 kWh/m ³	11,539 kWh/m ³



		<u>Hof</u>	<u>Köditz</u>	<u>Brunnenthal</u>
Februar	2024	11,526 kWh/m ³	11,525 kWh/m ³	11,510 kWh/m ³
März	2024	11,529 kWh/m ³	11,529 kWh/m ³	11,528 kWh/m ³
April	2024	11,476 kWh/m ³	11,475 kWh/m ³	11,475 kWh/m ³
Mai	2024	11,458 kWh/m ³	11,459 kWh/m ³	11,454 kWh/m ³
Juni	2024	11,587 kWh/m ³	11,585 kWh/m ³	11,589 kWh/m ³
Juli	2024	11,517 kWh/m ³	11,515 kWh/m ³	11,513 kWh/m ³
August	2024	11,566 kWh/m ³	11,567 kWh/m ³	11,565 kWh/m ³
September	2024	11,523 kWh/m ³	11,527 kWh/m ³	11,513 kWh/m ³
Oktober	2024	11,586 kWh/m ³	11,587 kWh/m ³	11,588 kWh/m ³
November	2024	11,485 kWh/m ³	11,484 kWh/m ³	11,495 kWh/m ³
Dezember	2024	11,513 kWh/m ³	11,513 kWh/m ³	11,507 kWh/m ³
Januar	2025	11,487 kWh/m ³	11,487 kWh/m ³	11,481 kWh/m ³
Februar	2025	11,433 kWh/m ³	11,434 kWh/m ³	11,424 kWh/m ³
März	2025	11,408 kWh/m ³	11,409 kWh/m ³	11,398 kWh/m ³
April	2025	11,485 kWh/m ³	11,487 kWh/m ³	11,503 kWh/m ³
Mai	2025	11,545 kWh/m ³	11,544 kWh/m ³	11,550 kWh/m ³
Juni	2025	11,609 kWh/m ³	11,607 kWh/m ³	11,613 kWh/m ³
Juli	2025	11,534 kWh/m ³	11,535 kWh/m ³	11,534 kWh/m ³
August	2025	11,530 kWh/m ³	11,535 kWh/m ³	11,530 kWh/m ³
September	2025	11,600 kWh/m ³	11,600 kWh/m ³	11,597 kWh/m ³
Oktober	2025	11,577 kWh/m ³	11,576 kWh/m ³	11,580 kWh/m ³
November	2025	11,563 kWh/m ³	11,562 kWh/m ³	11,572 kWh/m ³
Dezember	2025	11,529 kWh/m ³	11,529 kWh/m ³	11,530 kWh/m ³

		<u>Hof</u>	<u>Köditz</u>	<u>Brunnenthal</u>
Januar	2026	11,545 kWh/m ³	11,545 kWh/m ³	11,542 kWh/m ³
Februar	2026	11,438 kWh/m ³	11,439 kWh/m ³	11,438 kWh/m ³
März	2026	11,479 kWh/m ³	11,480 kWh/m ³	11,474 kWh/m ³